


This article was downloaded by: [University of St Andrews]

On: 20 May 2015, At: 04:32

Publisher: Taylor & Francis

Informa Ltd Registered in England and Wales Registered Number: 1072954 Registered office: Mortimer House, 37-41 Mortimer Street, London W1T 3JH, UK



[Click for updates](#)

Communicative & Integrative Biology

Publication details, including instructions for authors and subscription information:

<http://www.tandfonline.com/loi/kcib20>

The spread of a novel behavior in wild chimpanzees: New insights into the ape cultural mind

Thibaud Gruber^{ab}, Timothée Poisot^{cd}, Klaus Zuberbühler^{abe}, William Hoppitt^f & Catherine Hobaiter^{be}

^a Department of Comparative Cognition; Institute of Biology; University of Neuchâtel; Neuchâtel, Switzerland

^b Budongo Conservation Field Station; Masindi, Uganda

^c Département de Biologie; Chimie et Géographie; Université du Québec à Rimouski; Rimouski, Canada

^d Québec Center for Biodiversity Sciences; Montréal, Canada

^e School of Psychology and Neuroscience; University of St Andrews; Fife, UK

^f Animal and Environment Research Group; Anglia Ruskin University; Cambridge, UK

Accepted author version posted online: 01 Apr 2015.

To cite this article: Thibaud Gruber, Timothée Poisot, Klaus Zuberbühler, William Hoppitt & Catherine Hobaiter (2015) The spread of a novel behavior in wild chimpanzees: New insights into the ape cultural mind, *Communicative & Integrative Biology*, 8:2, e1017164, DOI: [10.1080/19420889.2015.1017164](https://doi.org/10.1080/19420889.2015.1017164)

To link to this article: <http://dx.doi.org/10.1080/19420889.2015.1017164>

PLEASE SCROLL DOWN FOR ARTICLE

Taylor & Francis makes every effort to ensure the accuracy of all the information (the "Content") contained in the publications on our platform. Taylor & Francis, our agents, and our licensors make no representations or warranties whatsoever as to the accuracy, completeness, or suitability for any purpose of the Content. Versions of published Taylor & Francis and Routledge Open articles and Taylor & Francis and Routledge Open Select articles posted to institutional or subject repositories or any other third-party website are without warranty from Taylor & Francis of any kind, either expressed or implied, including, but not limited to, warranties of merchantability, fitness for a particular purpose, or non-infringement. Any opinions and views expressed in this article are the opinions and views of the authors, and are not the views of or endorsed by Taylor & Francis. The accuracy of the Content should not be relied upon and should be independently verified with primary sources of information. Taylor & Francis shall not be liable for any losses, actions, claims, proceedings, demands, costs, expenses, damages, and other liabilities whatsoever or howsoever caused arising directly or indirectly in connection with, in relation to or arising out of the use of the Content.

This article may be used for research, teaching, and private study purposes. Terms & Conditions of access and use can be found at <http://www.tandfonline.com/page/terms-and-conditions>

It is essential that you check the license status of any given Open and Open Select article to confirm conditions of access and use.

The spread of a novel behavior in wild chimpanzees: New insights into the ape cultural mind

Thibaud Gruber^{1,2,*}, Timothée Poisot^{3,4}, Klaus Zuberbühler^{1,2,5}, William Hoppitt⁶, and Catherine Hobaiter^{2,5}

¹Department of Comparative Cognition; Institute of Biology; University of Neuchâtel; Neuchâtel, Switzerland; ²Budongo Conservation Field Station; Masindi, Uganda; ³Département de Biologie; Chimie et Géographie; Université du Québec à Rimouski; Rimouski, Canada; ⁴Québec Center for Biodiversity Sciences; Montréal, Canada; ⁵School of Psychology and Neuroscience; University of St Andrews; Fife, UK; ⁶Animal and Environment Research Group; Anglia Ruskin University; Cambridge, UK

Keywords: chimpanzee culture, evolution of culture, mental representations, *Pan troglodytes*, social network, tool use

© Thibaud Gruber, Timothée Poisot, Klaus Zuberbühler, William Hoppitt, and Catherine Hobaiter

*Correspondence to: Thibaud Gruber; Email: thibaud.gruber@gmail.com

Submitted: 12/18/2014

Revised: 12/18/2014

Accepted: 12/18/2014

<http://dx.doi.org/10.1080/19420889.2015.1017164>

This is an Open Access article distributed under the terms of the Creative Commons Attribution-Non-Commercial License (<http://creativecommons.org/licenses/by-nc/3.0/>), which permits unrestricted non-commercial use, distribution, and reproduction in any medium, provided the original work is properly cited. The moral rights of the named author(s) have been asserted.

Addendum to: Hobaiter, C., Poisot, T., Zuberbühler, K., Hoppitt, W. and Gruber, T. Social network analysis shows direct evidence for social transmission of tool use in wild chimpanzee. *PLoS Biol* 12: e1001960. doi:10.1371/journal.pbio.1001960

For years, the animal culture debate has been dominated by the puzzling absence of direct evidence for social transmission of behavioral innovations in the flagship species of animal culture, the common chimpanzee. Although social learning of novel behaviors has been documented in captivity, critics argue that these findings lack ecological validity and therefore may not be relevant for understanding the evolution of culture. For the wild, it is possible that group-specific behavioral differences emerge because group members respond individually to unspecified environmental differences, rather than learning from each other. In a recent paper, we used social network analyses in wild chimpanzees (*Pan troglodytes schweinfurthii*) to provide direct evidence for social transmission of a behavioral innovation, moss-sponging, to extract water from a tree hole. Here, we discuss the implications of our findings and how our new methodological approach could help future studies of social learning and culture in wild apes.

Observations of tool use and tool making in wild chimpanzees have been documented since the 1950s.¹ These studies have had an enormous scientific impact and triggered an important debate on the nature and evolution of human culture.² Yet, the notion of culture in wild chimpanzees has continued to attract critique, mainly because field researchers have been unable to provide direct evidence that the behaviors they observed had been socially learnt. One difficulty has been that key

behaviors, such as nut-cracking in Western chimpanzees, have originated in the distant past, sometimes several millennia ago.³ As a result, it has never been possible to document the genesis and spread of a novel behavior in any wild chimpanzee community. In a recent study, we have been able to address this shortcoming by documenting the spread of 2 novel behaviors, moss-sponging and leaf-sponge reuse, in a group of wild chimpanzees in Budongo Forest, Uganda.⁴ The behavior first appeared in response to a novel context, a waterhole within the root system of a large tree rich in minerals including sodium – an increasingly limited resource for Budongo chimpanzees due to the disappearance of other traditional sources.⁵

In our study, we were able to document, over the course of 6 days, the tool use behavior of 30 chimpanzees, who exploited the site in November 2011.⁴ Using a novel analysis tool, Network-Based Diffusion Analysis (NBDA), we were able to directly test the predictions of 2 hypotheses, acquisition of novel behavior due to social or individual learning. Our results supported the first hypothesis, that is, that social learning was responsible for the spread of at least one behavior.⁶⁻⁷ In contrast to previous studies, our models included a dynamic dimension, which enabled us to precisely take into account the interaction histories of all individuals involved, that is, whether they acquired the novel behavior as a consequence of observing other group members. The crucial advantage of our dynamic models is that they are not based on the assumption that social interactions are temporally

invariant, which captures the complexity of real-life empirical data in important ways. In the wild, social interactions are based on numerous, often ephemeral, contacts between individuals that hold information much beyond simple long-term aggregation data used by the static social network models used so far. In our opinion, NBDA offers significant potential for future studies of animal behavior. In the following we focus on the question of chimpanzee culture and outline 3 domains in which we anticipate particular progress.

Chimpanzee cultures change gradually over time

One pervasive view of chimpanzee culture is that behavioral traditions remain static once they have been established in a group. For example, surveys of long-term chimpanzee study sites have shown that behavioral innovations generally tend to be rare,⁸⁻⁹ which has been interpreted as 'cultural conservatism'.¹⁰ However, in recent years various new chimpanzee study sites have been established, including in highly degraded and human-dominated habitats, and data collected in these sites suggest that chimpanzee behavior may be more flexible than generally thought.¹¹ For our study group, the Sonso community of Budongo Forest, Uganda, we have been able to show that new behaviors can sometimes also appear in long-term field sites. This has been made possible due to the availability of long-term behavioral records that enable baseline comparisons. Our study also illustrates that behavioral change is likely to happen gradually, with modifications added to pre-existing behavior, rather than due to sudden emergence of radically novel behaviors. In our case, chimpanzees have been observed for decades to engage in leaf-sponging behavior to extract fluids from cavities. This is done by folding a bunch of leaves in the mouth to fabricate a sponge, typically in order to extract water from treeholes.¹²⁻¹³ In utilizing a novel material (moss instead of leaves), moss-sponging can be interpreted as a modification of the existing leaf-sponging behavior. The second observed innovation, leaf-sponge re-use, where individuals re-utilize a leaf-sponge already made and left behind by another chimpanzee, is probably also a modification of

leaf-sponging. The notion of gradual change is further supported by field experiments showing that wild chimpanzees appear particularly reticent to adopt behaviors that are too different from their existing repertoire, with novel solutions usually found within the broad range of existing patterns.¹⁴ One possibility is that these limitations in behavioral flexibility are due to profound underlying cognitive limits, particularly in terms of the metarepresentational abilities available to chimpanzees.¹⁵

Why do innovations spread unevenly?

Data from several long term field sites indicate that behavioral innovations usually fail to spread throughout the group,^{9,16} and understanding the reasons for this is of primary concern.¹⁷ Our recent study can contribute to this discussion in the following way. Firstly, studies in captivity have highlighted the importance of a model's social rank for the transmission of novel behaviors, the so-called 'prestige effect'.¹⁸⁻¹⁹ In our study, moss-sponging spread rapidly and all our models were dominant relative to the observing novices. In contrast, for leaf-sponge re-use we only found limited evidence for social learning. In this case, interestingly, the behavior was primarily demonstrated by subordinate individuals. More work is required to understand these patterns, but one approach will be in monitoring whether and how the 2 novel behaviors are maintained within the community.

Secondly, our study demonstrates that certain ecological conditions can trigger behavioral innovations that can subsequently spread throughout a group. In the case of leaf-sponge re-use, the behavior emerged in different individuals, most likely due to individual learning. The discovery of a new waterhole rich in minerals attracted a large number of chimpanzees, who engaged in leaf-sponging, which resulted in a high density of discarded leaf-sponges. We suspect that this significant change in the environment caused the emergence of leaf-sponge re-use. However, our study also suggests that, in at least some cases, social transmission can greatly speed up the spread of a novel behavior pattern through animal groups,

as in the case of moss-sponging. In general, our study suggests that changes in the ecological conditions generate opportunities for individuals to invent novel behaviors, which then requires relevant models to display the behavior to others for it to spread throughout and be maintained within a community.²⁰

How do chimpanzee cultures relate to human cultures?

Our findings demonstrate that chimpanzee cultural behavior, similar to human cultures, can be transmitted through social learning, suggesting shared common ancestry. By extension, our findings also suggest that australopithecines and early hominins already had the capacity to acquire some of their knowledge through cultural means. Nevertheless, there has been a long lasting debate about the social learning processes that underlie cultural learning and whether they are the same in the 2 species.²¹ While it is unquestionable that modern humans rely on teaching and imitation to transmit culture,²² it is less obvious whether this was also true for early hominins, for instance *Homo habilis* or *H. erectus*, or whether they employed other social learning processes, such as emulation.²³ As such, chimpanzees may be a valuable model in understanding how early hominin culture was transmitted.

Secondly, our study demonstrates how research on animal behavior can help to understand how basic cultural achievements may have been transmitted cumulatively during the first stages of human evolution, leading, for example, to the emergence of hand-axes.²⁴ In our chimpanzees, innovations were based on modifications of existing behavior, which may have led to modifications of the underlying mental representation.²⁵⁻²⁶ Elsewhere we have argued that chimpanzee culture should be analyzed beyond the surface behavioral patterns and include the study of how community-specific mental representations are formed by observing others. In our view, the precise category of social learning process utilized in behavioral acquisition is then less critical than the fact that animals are likely to create novel mental representations when observing others in carrying novel behaviors.

Understanding how chimpanzees handle novel ideas, cultural or not, may tell us more about both how our ancestors learnt from each other and how their achievements gradually changed into modern human cultures.

Disclosure of Potential Conflicts of Interest

No potential conflicts of interest were disclosed.

Funding

The fieldwork of CH was funded by the Leverhulme Trust, the Lucie Burgers Stichting, and the British Academy. TP was funded by the Canadian Research Chair in Continental Ecosystem Ecology, and received computational support from the Theoretical Ecosystem Ecology group at UQAR. The research leading to these results has received funding from the People Program (Marie Curie Actions) and from the European Research Council under the European Union's Seventh Framework Program (FP7/2007-2013) REA grant agreement n° 329197 awarded to TG, ERC grant agreement n° 283871 awarded to KZ. WH was funded by a BBSRC grant (BB/I007997/1). The funders had no role in study design, data collection and analysis, decision to publish, or preparation of the manuscript.

References

1. Goodall J. *The Chimpanzees of Gombe: Patterns of Behavior*. Boston: Belknap Press of Harvard University Press; 1986: 535-64.

2. McGrew WC. *Chimpanzee material culture: Implications for human evolution*. Cambridge: Cambridge University Press; 1992.
3. Mercader J, Barton H, Gillespie J, Harris J, Kuhn S, Tyler R, Boesch C. 4,300-Year-old chimpanzee sites and the origins of percussive stone technology. *Proc Natl Acad Sci USA* 2007; 104:3043-8; PMID:17360606; <http://dx.doi.org/10.1073/pnas.0607909104>
4. Hobaiter C, Poisot T, Zuberbühler K, Hoppitt W, Gruber T. Social network analysis shows direct evidence for social transmission of tool use in wild chimpanzees. *PLoS Biol* 2014; 12: e1001960; PMID:25268798; <http://dx.doi.org/10.1371/journal.pbio.1001960>
5. Reynolds V, Lloyd AW, Babweteera F, English CJ. Decaying *Raphia farinifera* palm trees provide a source of sodium for wild chimpanzees in the Budongo Forest, Uganda. *PLoS One* 2009; 4: e6194; PMID:19593451; <http://dx.doi.org/10.1371/journal.pone.0006194>
6. Franz M, Nunn CL. Network-based diffusion analysis: a new method for detecting social learning. *Proc Royal Soc B Biol Sci* 2009; 276: 1829-36; PMID:19324789; <http://dx.doi.org/10.1098/rspb.2008.1824>
7. Hoppitt W, Boogert NJ, Laland KN. Detecting social transmission in networks. *J Theor Biol* 2010; 263: 544-55; PMID:20064530; <http://dx.doi.org/10.1016/j.jtbi.2010.01.004>
8. O'Malley RC, Wallauer W, Murray CM, Goodall J. The appearance and spread of ant fishing among the Kasekela chimpanzees of Gombe: a possible case of intercommunity cultural transmission. *Curr Anthropol* 2012; 53: 650-63; PMID:25242820; <http://dx.doi.org/10.1086/666943>
9. Nishida T, Matsusaka T, McGrew WC. Emergence, propagation or disappearance of novel behavioral patterns in the habituated chimpanzees of Mahale. *Primates* 2009; 50: 23-36; PMID:19137390; <http://dx.doi.org/10.1007/s10329-008-0109-y>
10. Gruber T, Muller MN, Reynolds V, Wrangham RW, Zuberbühler K. Community-specific evaluation of tool affordances in wild chimpanzees. *Sci Rep* 2011; 1: 128; PMID:22355645; <http://dx.doi.org/10.1038/srep00128>
11. McLennan MR, Hockings KJ. Wild chimpanzees show group differences in selection of agricultural crops. *Sci Rep* 2014; 4: 5956; PMID:25090940; <http://dx.doi.org/10.1038/srep05956>
12. Reynolds V. *The chimpanzees of the Budongo forest: ecology, behaviour and conservation*. Oxford: Oxford University Press; 2005.
13. Gruber T, Muller MN, Strimling P, Wrangham RW, Zuberbühler K. Wild chimpanzees rely on cultural knowledge to solve an experimental honey acquisition task. *Curr Biol* 2009; 19: 1806-10; PMID:19853447; <http://dx.doi.org/10.1016/j.cub.2009.08.060>
14. Gruber T. Historical hypotheses of chimpanzee tool use behaviour in relation to natural and human-induced changes in an East African rain forest. *Rev Primatol* 2013; 5: document 66; <http://dx.doi.org/10.4000/primatologie.1690>
15. Gruber T, Zuberbühler K, Clément F, van Schaik CP. Apes have culture but may not know that they do. *Front Psychol* 2015; 6: 91; PMID:25705199; <http://dx.doi.org/10.3389/fpsyg.2015.00091>
16. Yamamoto S, Yamakoshi G, Humle T, Matsuzawa T. Invention and modification of a new tool use behavior: ant-fishing in trees by a wild chimpanzee (*Pan troglodytes verus*) at Bossou, Guinea. *Am J Primatol* 2008; 70: 699-702; PMID:18459112; <http://dx.doi.org/10.1002/ajp.20544>
17. Whiten A. Animal behaviour: Incipient tradition in wild chimpanzees. *Nature* 2014; 514: 178-9; PMID:25274304
18. Horner V, Proctor D, Bonnie KE, Whiten A, de Waal FBM. Prestige affects cultural learning in chimpanzees. *PLoS One* 2010; 5: e10625; PMID:20502702; <http://dx.doi.org/10.1371/journal.pone.0010625>
19. Kendal RL, Hopper LM, Whiten A, Brosnan SF, Lambeth SP, Schapiro SJ, et al. Chimpanzees copy dominant and knowledgeable individuals: Implications for cultural diversity. *Evol Human Behav*, 2015; 36: 65-72.
20. Fox EA, Sitompul AF, van Schaik CP. Intelligent tool use in wild Sumatran orangutans. *The Mentality of Gorillas and Orangutans*. In: Parker S, Miles L, Mitchell A, eds. Cambridge: Cambridge University Press; 1999: 99-117.
21. Laland KN, Galef BG, eds. *The question of animal culture*. Cambridge, MA: Harvard University Press; 2009.
22. Tomasello M. *The question of chimpanzee culture, plus postscript (Chimpanzee culture, 2009)*. *The question of animal culture*. In: Laland KN, Galef BG, eds. Cambridge, MA: Harvard University Press; 2009: 198-221.
23. Caruana MV, d'Errico F, Backwell LR. Early hominin social learning strategies underlying the use and production of bone and stone tools. *Tool use in animals: Cognition and ecology*. In: Sanz CM, Call J, Boesch C, eds. Cambridge: CUP; 2013: 242-85.
24. McPherron SP. Perspectives on stone tools and cognition in the early Paleolithic record. *Tool use in animals: Cognition and ecology*. In: Sanz CM, Call J, Boesch C, eds. Cambridge: CUP; 2013: 286-309.
25. Gruber T, Singleton I, van Schaik CP. Sumatran orangutans differ in their cultural knowledge but not in their cognitive abilities. *Curr Biol* 2012; 22: 2231-5; PMID:23142043; <http://dx.doi.org/10.1016/j.cub.2012.09.041>
26. Bryson JJ. Representations underlying social learning and cultural evolution. *Int Stud* 2009; 10: 77-100; <http://dx.doi.org/10.1075/is.10.1.06bry>